



**SENSOHEAT
RADIATORS
UK**



Classical Cast Iron Radiators

Victoriana Cast Iron Radiators

The Victoriana 3 Column range are timeless Cast Iron radiators, beautifully styled to give a contemporary feel to the modern home, as well as an authentic feel for any heritage home.

- Available in heights of:
 - *450mm
 - *645mm
 - *745mm
- Only 120mm deep, so perfect for rooms where space is at a premium, yet style is paramount.
- Each Victoriana Radiator is supplied complete with plugs, bushes and air vents, as well as a choice of 1/2" or 3/4" connections.
- All radiators are delivered custom built to your specification and pressure tested.
- Custom built in all sizes from 3 to 40 sections.
- Custom paint and polish finishes available.
- Delivered ready for installation.



Victoriana Cast Iron Radiators 3 Column: depth 120mm

Number of sections	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)
4	VIC450/4	450	275	321	VIC645/4	645	276	428	VIC745/4	745	280	481
6	VIC450/6	450	395	482	VIC645/6	645	396	642	VIC745/6	745	402	721
8	VIC450/8	450	516	642	VIC645/8	645	856	856	VIC745/8	745	525	961
10	VIC450/10	450	636	803	VIC645/10	645	1070	1070	VIC745/10	745	648	1202
20	VIC450/20	450	1238	1606	VIC645/20	645	2140	2140	VIC745/20	745	1262	2403
30	VIC450/30	450	1840	2409	VIC645/30	645	3209	3209	VIC745/30	745	1876	3605

Victoriana Cast Iron Radiators

The Victoriana 4 Column range are timeless Cast Iron radiators, beautifully styled to complement both period or modern homes. Designed for maximum heat efficiency and versatility of use, it is ideal for both small and large rooms.

- Available in heights of:
 - *460mm
 - *660mm
 - *760mm
 - *813mm.
- Depths from 143mm to 160mm.
- Each Victoriana Radiator is supplied complete with plugs, bushes and air vents, as well as a choice of 1/2" or 3/4" connections.
- All radiators are delivered custom built to your specification and pressure tested.
- Custom built in all sizes from 3 to 40 sections.
- Custom paint and polish finishes available.
- Delivered ready for installation.



Victoriana Cast Iron Radiators 4 Column: depth 143mm

Number of sections	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)
4	VIC460/4	460	277	264	VIC660/4	660	281	399	VIC760/4	760	278	498	VIC813/4	813	274	528
6	VIC460/6	460	398	396	VIC660/6	660	405	598	VIC760/6	760	401	747	VIC813/6	813	395	791
8	VIC460/8	460	520	528	VIC660/8	660	528	797	VIC760/8	760	523	996	VIC813/8	813	515	1055
10	VIC460/10	460	641	659	VIC660/10	660	652	996	VIC760/10	760	645	1246	VIC813/10	813	635	1319
20	VIC460/20	460	1248	1319	VIC660/20	660	1270	1993	VIC760/20	760	1256	2491	VIC813/20	813	1236	2638
30	VIC460/30	460	1855	1978	VIC660/30	660	1888	2989	VIC760/30	760	1897	3737	VIC813/30	813	1837	3957

Kensington Cast Iron Radiators

The Kensington range is an elegant and stylish ornate cast Iron Radiator, and a popular choice for traditional refurbishments, new builds, barns and warehouse conversions alike. This is a free standing radiator, beautifully etched with a scroll like design, which flows its full length.



- Available in heights of 580mm, 750mm and 780mm.
- The 780mm high Kensington has a magnificent crown to accentuate the design.
- Custom finished in a polished or antiqued paint effect, the Kensington range looks fantastic, as these finishes accentuate the beautiful scrolling detail.
- Each Kensington radiator is supplied complete with plugs, bushes and air vents, as well as a choice of 1/2" or 3/4" connections.
- Custom built in sizes from 3 to 30 sections.
- Delivered ready for installation.

Kensington Cast Iron Radiators 2 Column: depth 135mm


Number of sections	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	Height (mm)	Length (mm)
4	KEN580/4	580	318	349	KEN750/4	750	318	453	KEN780/4	780	465
6	KEN580/6	580	460	524	KEN750/6	750	460	680	KEN780/6	780	697
8	KEN580/8	580	602	699	KEN750/8	750	602	906	KEN780/8	780	930
10	KEN580/10	580	744	873	KEN750/10	750	744	1133	KEN780/10	780	1162
20	KEN580/20	580	1454	1747	KEN750/20	750	1454	2266	KEN780/20	780	2324
30	KEN580/30	580	2164	2620	KEN750/30	750	2164	3398	KEN780/30	780	3486

The Churchill Radiator

A timeless classic reproduced from its Victorian original.

The simple lines and strong shape make this radiator perfect for contemporary or traditional settings.

- The Churchill radiator is 350mm in height, 340mm in depth and available in a range of lengths.
- Perfect for awkward spaces which require maximum heat output without height.
- All radiators are delivered custom built to your specification and pressure tested.
- Delivered ready for installation.



The Churchill

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Depth (mm)	Output (Δt 50°C)
CHU350/4	4	350	283	340	467
CHU350/6	6	350	407	340	700
CHU350/8	8	350	532	340	933
CHU350/10	10	350	656	340	1166
CHU350/20	20	350	1278	340	2333
CHU350/30	30	350	1900	340	3499

The Neo Georgian 4 Column

A traditional Edwardian radiator, carefully crafted to offer a versatile choice of heights and widths. Simple column design gives a contemporary feel for a modern setting as well as an authentic feel for the period home.

- The Neo Georgian radiator is available in heights ranging from 360mm to 1040mm.
- Available in a choice of 2, 4 or 6 column depths.
- Each radiator is complete with air vent and 1/2 inch connections.
- All radiators are delivered custom built to your specification and are pressure tested.
- Delivered ready for installation.

The Neo Georgian 4 Column 475mm

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Depth (mm)	Output (At 50°C)
GEO4475/4	4	475	269	144	260
GEO4475/6	6	475	391	144	390
GEO4475/8	8	475	512	144	520
GEO4475/10	10	475	634	144	650
GEO4475/20	20	475	1242	144	1300
GEO4475/30	30	475	1850	144	1950

The Neo Georgian 4 Column 660mm

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Depth (mm)	Output (At 50°C)
GEO4660/4	4	660	269	144	372
GEO4660/6	6	660	391	144	558
GEO4660/8	8	660	512	144	744
GEO4660/10	10	660	634	144	930
GEO4660/20	20	660	1242	144	1860
GEO4660/30	30	660	1850	144	2790

The Neo Georgian 4 Column 960mm

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Depth (mm)	Output (At 50°C)
GEO4960/4	4	960	269	144	556
GEO4960/6	6	960	391	144	834
GEO4960/8	8	960	512	144	1112
GEO4960/10	10	960	634	144	1390
GEO4960/20	20	960	1242	144	2780
GEO4960/30	30	960	1850	144	4170



The Neo Georgian 6 Column

A traditional Edwardian radiator, carefully crafted to offer a versatile choice of heights and widths. A simple column design gives a contemporary feel for a modern setting as well as an authentic feel for the period home.

- The Neo Georgian radiator is available in heights ranging from 360mm to 1040mm.
- Available in a choice of 2, 4 or 6 column depths.
- Each radiator is complete with air vent and 1/2 inch connections.
- All radiators are delivered custom built to your specification and are pressure tested.
- Delivered ready for installation.



The Neo Georgian 6 Column 485mm

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Depth (mm)	Output (Δt 50°C)
GEO6485/4	4	485	269	221	380
GEO6485/6	6	485	391	221	570
GEO6485/8	8	485	512	221	760
GEO6485/10	10	485	634	221	950
GEO6485/20	20	485	1242	221	1900
GEO6485/30	30	485	1850	221	2850

The Neo Georgian 6 Column 660mm

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Depth (mm)	Output (Δt 50°C)
GEO6660/4	4	660	269	221	532
GEO6660/6	6	660	391	221	798
GEO6660/8	8	660	512	221	1064
GEO6660/10	10	660	634	221	1330
GEO6660/20	20	660	1242	221	2660
GEO6660/30	30	660	1850	221	3990

The Neo Georgian 6 Column 960mm

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Depth (mm)	Output (Δt 50°C)
GEO6960/4	4	960	269	221	788
GEO6960/6	6	960	391	221	1182
GEO6960/8	8	960	512	221	1576
GEO6960/10	10	960	634	221	1970
GEO6960/20	20	960	1242	221	3940
GEO6960/30	30	960	1850	221	5910

The Clarendon Cast Iron

The Clarendon is an old school cast iron radiator, which has been expertly designed to be an exact copy of the original Clarendon. It is named after the Clarendon group of old schools, some of which include Harrow, Eton and Winchester. This modest and characterful radiator lends itself to both contemporary and traditional spaces.

- Available in a choice of 2 heights: 440mm or 740mm.
- Supplied complete with plugs, bushes and air vents along with a choice of 1/2" or 3/4" connections.
- Custom built in sizes from 3 to 40 sections.
- All radiators are delivered custom built to your specification and pressure tested.
- Delivered ready for installation.

Clarendon Cast Iron Radiators (depth 145mm)

Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Output (Δt 50°C)	Sensoheat Code	No. Of Sections	Height (mm)	Length (mm)	Output (Δt 50°C)
CLA440/4	4	440	283	293	CLA740/4	4	740	293	498
CLA440/6	6	440	407	440	CLA740/6	6	740	423	747
CLA440/8	8	440	532	586	CLA740/8	8	740	552	996
CLA440/10	10	440	656	733	CLA740/10	10	740	682	1246
CLA440/20	20	440	1278	1465	CLA740/20	20	740	1330	2491
CLA440/30	30	440	1900	2198	CLA740/30	30	740	1978	3737




Valves, Accessories and Finishes

We are able to offer a range of valves and accessories to compliment your Classical Iron Radiators. Below are our most popular selections, but for other options, please contact us for further information.

Canterbury Thermostatic Valves

Canterbury Thermostatic Valves are our most popular choice of valves, and are perfect for all traditional rooms. Available in 15mm connections and finishes that include Antique Brass and Antique Nickel.



Radiator Pipe Sleeves and Floor Caps

For a great finishing touch, simply sleeve your copper pipes with our cast iron radiator pipe sleeves and cast iron radiator floor caps to perfectly match your radiator valves. Our radiator pipe sleeves and floor caps are available in Antique Brass, Antique Copper, Polished Brass, Polished Chrome and Brushed Nickel. They really do add that extra edge of finish to a cast iron radiator, as they match so well with our range of both manual radiator valves and thermostatic radiator valves.

Custom Finishes

We are able to offer a wide range of custom finishes to suit all cast iron radiators. These include hand polishing, a great choice of paint colours: metallic, historical or choose your own paint colour, as well as fantastic paint effects, such as the antiqued effect and highlighted effect. Below are just a few examples. Please contact us for further information.



Outputs

The outputs quoted in this brochure are based on mean water temperature of 80°C and a room temperature of 20°C (ΔT 60°C) **OR** a mean water temperature of 70°C and a room temperature of 20°C (ΔT 50°C).

For all other operating conditions, apply the corrections factors below:

(apply to ΔT 60°C only).

5°C	0.046	30°C	0.432	55°C	0.898
10°C	0.108	35°C	0.512	60°C	1.000
15°C	0.179	40°C	0.605	65°C	1.104
20°C	0.256	45°C	0.700	70°C	1.211
25°C	0.338	50°C	0.798	75°C	1.319



SENSOHEAT RADIATORS UK

Hurlstones Northern Ltd, Alexander House, 197 Market Street, Tottington, Bury, BL8 3HF

Tel: 01204 888330

Email: Info@hurlstonesnorthern.com

Website: www.Hurlstonesnorthern.supplies

HNL
Hurlstones Northern Ltd
Technical Agents and Distributors of HVAC and Public Health Equipment